


bodytone

HIIT LINE



Z CLIMB
Climber Machine

**MOUNTED SIZE**

139 x 105 x 250 cm.

NET WEIGHT

110 kg.

FRAME

Steel tube 100 x 50 mm welded by robotized process, free of projections.

MAXIMUM USER WEIGHT

180 kg.

POWER MOTOR:

48W Motor Resistance Control;

RESISTANCE LEVEL

20-LEVELS / 5-100Kg/ 5Kg per Level

RESISTANCE CONTROL

Shift knob

DRIVE

Timing Belt Driven

BEARINGS

Nsk Japan.

STEP DIMENSION

UP to 490 MM

GRIP BAR

Multigrip positions handle.

PEDALS

Removable Design by pop-pin.

CONSOLE

LED Screen / 6-Window
Time/Speed/ Height/Step High/ Step/ Calorie/
Resistance

CONSOLE PROGRAMS

P 1-36 WORK OUT + USER/ COUNTDOWN/ FLOOR
MODE HR/ TIME/ STEPS/ HEIGHT/ CAL. / SPM/
STEP RATE LEVEL

BOTTLE HOLDER

Included

BASES

Antideslizant PVC And leveler adjust.

SCREWS

Extra hardness and M12 screws, guaranteeing a perfect and solid assembly.

MATERIALS AND FINISHES

High quality finishes.

3.5mm ABS thermoplastic ferrules.

TRANSPORT WHEELS

YES, in the front side.

PAINTING PROCESS

3 coats of paint.

Steel pickled and stabilized by total immersion of the parts in different degreasing solutions to guarantee a perfect and complete cleaning of the base material. Antirust primer to guarantee and adequate isolation of the internal oxidation and a good adherence of the paint. 2 final coats of polyester epoxy powder paint, dried at 240°C.

DESIGN PROCESS

Biomechanics and ergonomics study under the supervision of professionals and associated athletes. After a long period of design; from the sketch, engineering research, prototype production, testing by professional athletes, our products go to market.



Z CLIMB climber machine



Z CLIMB climber machine